

2022 - 2027 Transportation Improvement Program Application for all Other Project Types

Instructions

CDTC's electronic application is powered by Jotform. Save your work as you complete the form, an account is not needed (click "skip" at the bottom of the pop up box). Do not clear the cookies on your computer without saving as your work could be lost. **Jotform is compatible with web browsers such as Google Chrome, Apple Safari, Microsoft Edge and Mozilla**.

Applicants should enter project information in response to all fields as they appear. Required fields are indicated with an asterisk (*). The form will indicate data entry errors using red warnings and will not allow additional data to be entered until errors are corrected.

Submit one (1) application per project. Use this application for projects that do not fit into the road, bridge, pedestrian, bicycle or safety categories such as transit infrastructure, intersection improvements (for a purpose other than safety), signal projects, operational/ITS projects, economic development/community compatibility projects, etc.

Sponsors may indicate if a group of applications are to be bundled and evaluated as a single project. For questions related to complex projects, contact CDTC.

Consultants may prepare all or part of project applications on behalf of municipalities but they may not participate in a competitive solicitation for consultant services for the same project, unless the consultant has been procured through a competitive process that included subsequent phases of the project, such as design, construction support, and construction inspection of the project. For more information on Consultant Procurement see Chapter 6 of the NYSDOT Local Projects Manual.

Application Sections:

Part A: New Visions 2050 and Certifications

Part B: Sponsor Information

Part C: Project Data

Part D: Cost Estimate and Proposed Funding

Part E: Sponsor Priority and Project Timing

Part F: Application Submission

Applications are to be submitted to CDTC by December 3, 2021 at 5 p.m.

Questions?

Sponsors may contact Sandy Misiewicz, CDTC Executive Director at 518-458-2161 or by emailing <u>tip@cdtcmpo.org</u> at any time for assistance. If requested, CDTC staff will review your application before final submission to offer suggestions for improvement.

Part A: New Visions 2050 and Certifications

New Visions 2050

Proposed projects must be consistent with the principles and recommendations in CDTC's New Visions 2050 regional transportation plan. Explore how your project supports implementation of New Visions 2050: www.cdtcmpo.org/nv2050sum.

Which New Visions 2050 planning and investment principles will the project implement? Provide the page number where the principle is described. *		

Note: Page 10 containing the list of planning and investments principles will not count.

Project Eligibility

(FAST) Act including the National Highway Performance Program (NHPP), the Surface Transportation Block Grant Program (STBG) and the Highway Safety Improvement Program (HSIP). CDTC's 2022 TIP Update webpage at www.cdtcmpo.org/2022tip contains details on federal aid programs, eligibility requirements and transportation data.

Certification: *
I certify that to the best of my knowledge, the proposed project is federal aid eligible under the FAST Act. Ineligible projects will be removed from consideration.
Project Evaluation
All projects will be evaluated by the CDTC staff. 50% of the score is derived from a calculated Benefit/Cost ratio and 50% is derived from a Merit Category Score. Details regarding the evaluation methodology are available on the CDTC website at www.cdtcmpo.org/2022tip . CDTC's Planning Committee and Policy Board are ultimately responsible for project prioritization.
Certification: *
I understand and agree that my project will be evaluated by CDTC staff using CDTC's TIP project evaluation procedures.
Project Administration
State sponsored projects are expected to follow guidelines established by NYSDOT to implement a federal aid project. Local project sponsors should review the NYSDOT Local Projects Manual for details regarding the administration and management of a locally sponsored federal aid project
Certification *
Project administration and management will be undertaken in accordance with NYSDOT Procedures (state sponsored projects) or the NYSDOT Local Projects Manual (locally sponsored projects).

Project Delivery

All sponsors are expected to complete the project as described in this proposal, if funded. CDTC understands the design process may uncover unexpected challenges that prevent the project from being completed as described. Significant project changes, as described in CDTC's <u>Guidelines for TIP</u> <u>Amendments</u>, may be subject to Planning Committee and, in some cases, Policy Board approval. CDTC staff will track the progress of funded projects to encourage on time project delivery.

Certification *	
I certify that the project will be completed as described in this proposal. A significant change to the project limits, project type or project scope will require CDTC Planning Committee approval.	
Part B: Sponsor Information	
Project Sponsor (Governmental body submitting the Proposal) *	
Insert the project sponsor name.	
Is this a joint proposal with another municipality/agency? *	
O Yes	
O No	
Joint Project Sponsor(s)	
Insert one or more joint sponsor name	
Contact Person	
Provide the contact information for the person with direct knowledge of the project.	
Name *	
Title *	

Affiliation *	
Address *	
Street Address	1
Street Address Line 2	
City	State
Zip Code	
Phone Number *	
Enter a valid phone number.	
Email *	
Enter a valid email address	
Part C: Project I	Data
Instructions:	
pedestrian, bicycle or sa	ion per project. Use this application for projects that do not fit into the road, bridge, afety categories such as transit infrastructure, intersection improvements (for a ety), signal projects, operational/ITS projects, economic development/community etc.
	if a group of applications are to be bundled and evaluated as a single project. For mplex projects, contact CDTC.

Project Name *

Will this application be bundled with another application(s) to create a single project? *
\circ
Yes
O No
Provide the project name(s) of applications to be bundled.
Note: separate road applications must be submitted for bundled projects.
Project Location
Location(a) County *
Location(s) - County *
Insert more than one county name if road crosses a county boundary.
Location(a) City Town Village *
Location(s) - City, Town, Village *
Inpart mare than and City/Town Williago name if road groups houndaries
Insert more than one City/Town/Village name if road crosses boundaries.
Describe the preject leastion. For linear prejects, provide preject limits in terms of persect
Describe the project location. For linear projects, provide project limits in terms of nearest intersection, reference marker (state roads only) or nearest address. *
Primary Facility Owner(s) *
Primary Owner Name
Primary Facility Maintenance Responsibility(/ies) *

Primary Maintenance Jurisdiction

Project Purpose and Description

What is the purpose and need for the project? *	
Word Limit:0/200	
How was the project need identified? *	
Word Limit:0/200	
Describe the scope of work. *	
Word Limit:0/200	
Provide the 2019-2024 TIP number if related to, adding to, or alter projects in the Post '24 column)	ng an existing project (include

Look up TIP numbers at: https://www.cdtcmpo.org/2019tipprojects

Project Information

If traffic volume is relevant, refer to the <u>NYSDOT Traffic Data Viewer</u> for the next two questions. Only provide count data that is more recent than in the Traffic Data Viewer or for roads not included in the Traffic Data Viewer, if available.

Is a more recent AADT count(s) available than in the NYSDOT Traffic Data Viewer? If so, pro the AADT count(s), count year and source.	vide
Is a more recent % Heavy Vehicles count(s) available than in the NYSDOT Traffic Data Views so, provide the % Heavy Vehicles count(s), count year and source.	er? It
Does the project require facility widening? *	
O Yes	
O No	
Explain the need for the widening. *	
Word Limit:0/100	_
Are Right-of-Way (ROW) acquisitions needed? *	
O Yes	
O No	
Explain the need for the ROW acquisition. *	

Word Limit:0/100
Will capacity for motor vehicles be added with the project? *
\circ
Yes
O No
Explain the need for the additional motor vehicle capacity. *
Explain the need for the additional motor verticle capacity.
Word Limit:0/100
Is there an operational problem in the project area? *
Yes
O No
Describe the operational problem and how the project intends to address the problem. *
Word Limit:0/100

Additional Project Information

Provide any additional project information not covered in other sections of the application. Insert N/A for any short answer questions that do not apply to the project.

Is the project implementing a recommendation from a state, regional or local planning study? *
Yes
O No
Name the plan(s) and provide the page number(s) for reference. *
i.e. Capital District Trails Plan, CDTC Linkage Program plans, community comprehensive plans, CDTC Local Road Safety Action Plan, etc. Word Limit: 50
30
Will the project be utilizing mitigation fees related to a GEIS? *
Yes
O NIC
No
Name the GEIS and describe how mitigation fees will support the project. *
Marile the GEIS and describe now influgation rees will support the project.
Is the facility identified in a county, state or other hazard, security, emergency management or resiliency plan? *
Yes
No
Name the plan(s) and provide the page number(s) for reference. *

Is the project implementing an <i>i</i>	ADA Transition Plan? *
O	
Yes	
0	
No	
Name the plan(s) and provide t	he page number(s) for reference *
Word Limit:0/30	
(Select all that apply) *	t features, if any, are proposed to be implemented with the project
None	
☐ Shared driveways ☐ Raised medians	
☐ Service roads	
☐ Dedicated turning lanes	
☐ Driveway reduction	
☐ Cross-easement access	
☐ Other	
	s management features are proposed to be implemented with the
project? *	

Review the Smart Growth Public Infrastructure Act criteria at: www.cdtcmpo.org/images/tip/2022tipupdate/Smart_growth_act_criteria.pdf

Describe how the project supports the New York State Smart Growth Public Infrastructure Act

criteria. Some of these criteria are captured in NYSDOT's GreenLites Program *
Word Limit:0/100
Describe how the project supports economic development. Consider access to childcare, economic justice, workforce development, life sciences cluster access, veteran participation in the workforce and other topics related to Regional Economic Development Council priorities. *
Word Limit:0/100
Will the project have a known impact on an environmentally sensitive feature? *
Yes
O No
Describe the impact and any proposed mitigation, if known. *
Describe the impact and any proposed mitigation, it known.
Word Limit:0/100
Does the project support freight and goods movement? *
Yes
O No
Describe how the project supports freight and goods movement. *

Word Limit:0/100	
What new pedestrian infrastructure, not already me the project? (Select all that apply) *	entioned, are proposed to be implemented with
□ None	
□ Sidewalk	
☐ Crosswalk	
☐ Curb extension (bump-outs, bulb-outs)	
☐ Rectangular rapid flashing beacon (RRFB)	
☐ Pedestrian countdown timer	
☐ Accessible push button	
Pedestrian warning sign	
☐ Pedestrian crossing island	
☐ Pedestrian hybrid beacon	
☐ Leading pedestrian interval	
□ Other	
Describe what other new pedestrian infrastructure i project. *	is proposed to be implemented with the
Word Limit:0/50	
What new bicycle infrastructure, not already mentic project, excluding sharrows? (Select all that apply)	
□ None	
☐ Bike lanes	
☐ Contra-flow bike lane	
☐ Cycle tracks	
\square Protected bike lanes (bollards, curbing, or raised pav	rement)
☐ Buffered bike lanes	
☐ Bike boxes	
☐ Intersection crossing markings	

☐ Protected bike lane at intersections ☐ Through bike lane ☐ Bicycle signals ☐ Other	
☐ Bicycle signals	
□ Other	
Describe what other new bicycle infrastructure is proposed to be implement	nted with the project.
Word Limit:0/50	
What new transit components, not already mentioned, are proposed to be	implemented with the
project? (Select all that apply) *	
□ None	
☐ Transit shelters, including concrete pad and access to board transit	
☐ Concrete transit pull-offs (bus bays) adjacent to the roadway	
☐ Curb extension at bus stops	
Transit signal priority	
☐ Park and ride lots of at least 25 spaces	
☐ Accessibility above ADA guidelines	
☐ Land set aside for future transit components	
Queue jumper	
☐ Bus-only travel lane	
☐ Innovative pedestrian crossings	
Other	
Describe what other new transit components are proposed to be implemen	nted with the project
Word Limit:0/50	

Speed reduction	
☐ Shoulder improvements	
☐ Improved freight access	
☐ Green infrastructure	
On-site stormwater management	
☐ Innovative curbside management	
□ Other	
Describe what other new complete stree project. *	ets features are proposed to be implemented with the
Word Limit:0/50	
void Elimit.9/30	
What travel demand management strat	tegies are supported by the project? (Select all that apply)
□ None	
☐ Carpooling	
□ Vanpooling	
☐ Car share	
☐ Bike share	
☐ Commuter buses	
☐ Park and ride lots	
☐ Alternative parking strategies	
☐ Other	
Describe what other travel demand mar	nagement strategies are being proposed to be
mplemented with the project. *	
Nord Limit:0/50	
Will electric vehicle charging infrastruct	ture be installed with the project? *
0	
∕es	

Will the project benefit public health? * Yes No Describe how the project will benefit public health. * Word Limit:0/50 What new safety features, not already mentioned, are proposed in the project to proactively reduce the risk of fatal or serious injury crashes? (Select all that apply) * None Signal timing and phasing adjustment Traffic signal back plates with retro reflective borders Intersection warning signs No turn on red signs (standard or electric) Parking restrictions at intersections Intersection or roadway lighting Flashing beacons at stop controlled intersections Sight line clearance Retro-reflective signs and shoulder striping Curve warning signs High friction surface treatments Centerline audible roadway delineators (CARDS) Shoulder audible roadway delineators (SHARDS) Safety edge Traffic calming Speed feedback signs	If known, how many chargers? *
Yes No Describe how the project will benefit public health. * Word Limit:0/50 What new safety features, not already mentioned, are proposed in the project to proactively reduce the risk of fatal or serious injury crashes? (Select all that apply) * None Signal timing and phasing adjustment Traffic signal back plates with retro reflective borders Intersection warning signs No turn on red signs (standard or electric) Parking restrictions at intersections Intersection or roadway lighting Flashing beacons at stop controlled intersections Sight line clearance Retro-reflective signs and shoulder striping Curve warning signs High friction surface treatments Centerline audible roadway delineators (CARDS) Shoulder audible roadway delineators (SHARDS) Safety edge Traffic calming	
Pescribe how the project will benefit public health. * Word Limit:0/50 What new safety features, not already mentioned, are proposed in the project to proactively reduce the risk of fatal or serious injury crashes? (Select all that apply) * None Signal timing and phasing adjustment Traffic signal back plates with retro reflective borders Intersection warning signs No turn on red signs (standard or electric) Parking restrictions at intersections Intersection or roadway lighting Flashing beacons at stop controlled intersections Sight line clearance Retro-reflective signs and shoulder striping Curve warning signs High friction surface treatments Centerline audible roadway delineators (CARDS) Shoulder audible roadway delineators (SHARDS) Safety edge Traffic calming	Will the project benefit public health? *
Describe how the project will benefit public health. * Word Limit:0/50 What new safety features, not already mentioned, are proposed in the project to proactively reduce the risk of fatal or serious injury crashes? (Select all that apply) * None Signal timing and phasing adjustment Traffic signal back plates with retro reflective borders Intersection warning signs No turn on red signs (standard or electric) Parking restrictions at intersections Intersection or roadway lighting Flashing beacons at stop controlled intersections Sight line clearance Retro-reflective signs and shoulder striping Curve warning signs High friction surface treatments Centerline audible roadway delineators (CARDS) Shoulder audible roadway delineators (SHARDS) Safety edge Traffic calming	
Describe how the project will benefit public health. * Word Limit:0/50 What new safety features, not already mentioned, are proposed in the project to proactively reduce the risk of fatal or serious injury crashes? (Select all that apply) * None Signal timing and phasing adjustment Traffic signal back plates with retro reflective borders Intersection warning signs No turn on red signs (standard or electric) Parking restrictions at intersections Intersection or roadway lighting Flashing beacons at stop controlled intersections Sight line clearance Retro-reflective signs and shoulder striping Curve warning signs High friction surface treatments Centerline audible roadway delineators (CARDS) Shoulder audible roadway delineators (SHARDS) Safety edge Traffic calming	
Describe how the project will benefit public health. * Word Limit:0/50 What new safety features, not already mentioned, are proposed in the project to proactively reduce the risk of fatal or serious injury crashes? (Select all that apply) * None Signal timing and phasing adjustment Traffic signal back plates with retro reflective borders Intersection warning signs No turn on red signs (standard or electric) Parking restrictions at intersections Intersection or roadway lighting Flashing beacons at stop controlled intersections Sight line clearance Retro-reflective signs and shoulder striping Curve warning signs High friction surface treatments Centerline audible roadway delineators (CARDS) Shoulder audible roadway delineators (SHARDS) Safety edge Traffic calming	
What new safety features, not already mentioned, are proposed in the project to proactively reduce the risk of fatal or serious injury crashes? (Select all that apply) * None Signal timing and phasing adjustment Traffic signal back plates with retro reflective borders Intersection warning signs No turn on red signs (standard or electric) Parking restrictions at intersections Intersection or roadway lighting Flashing beacons at stop controlled intersections Sight line clearance Retro-reflective signs and shoulder striping Curve warning signs High friction surface treatments Centerline audible roadway delineators (CARDS) Shoulder audible roadway delineators (SHARDS) Safety edge Traffic calming	NO TO THE PROPERTY OF THE PROP
What new safety features, not already mentioned, are proposed in the project to proactively reduce the risk of fatal or serious injury crashes? (Select all that apply) * None Signal timing and phasing adjustment Traffic signal back plates with retro reflective borders Intersection warning signs No turn on red signs (standard or electric) Parking restrictions at intersections Intersection or roadway lighting Flashing beacons at stop controlled intersections Sight line clearance Retro-reflective signs and shoulder striping Curve warning signs High friction surface treatments Centerline audible roadway delineators (CARDS) Shoulder audible roadway delineators (SHARDS) Safety edge Traffic calming	Describe how the project will benefit public health *
What new safety features, not already mentioned, are proposed in the project to proactively reduce the risk of fatal or serious injury crashes? (Select all that apply) * None Signal timing and phasing adjustment Traffic signal back plates with retro reflective borders Intersection warning signs No turn on red signs (standard or electric) Parking restrictions at intersections Intersection or roadway lighting Flashing beacons at stop controlled intersections Sight line clearance Retro-reflective signs and shoulder striping Curve warning signs High friction surface treatments Centerline audible roadway delineators (CARDS) Shoulder audible roadway delineators (SHARDS) Safety edge Traffic calming	Describe now the project will beliefft public fleatur.
What new safety features, not already mentioned, are proposed in the project to proactively reduce the risk of fatal or serious injury crashes? (Select all that apply) * None Signal timing and phasing adjustment Traffic signal back plates with retro reflective borders Intersection warning signs No turn on red signs (standard or electric) Parking restrictions at intersections Intersection or roadway lighting Flashing beacons at stop controlled intersections Sight line clearance Retro-reflective signs and shoulder striping Curve warning signs High friction surface treatments Centerline audible roadway delineators (CARDS) Shoulder audible roadway delineators (SHARDS) Safety edge Traffic calming	
What new safety features, not already mentioned, are proposed in the project to proactively reduce the risk of fatal or serious injury crashes? (Select all that apply) * None Signal timing and phasing adjustment Traffic signal back plates with retro reflective borders Intersection warning signs No turn on red signs (standard or electric) Parking restrictions at intersections Intersection or roadway lighting Flashing beacons at stop controlled intersections Sight line clearance Retro-reflective signs and shoulder striping Curve warning signs High friction surface treatments Centerline audible roadway delineators (CARDS) Shoulder audible roadway delineators (SHARDS) Safety edge Traffic calming	
What new safety features, not already mentioned, are proposed in the project to proactively reduce the risk of fatal or serious injury crashes? (Select all that apply) * None Signal timing and phasing adjustment Traffic signal back plates with retro reflective borders Intersection warning signs No turn on red signs (standard or electric) Parking restrictions at intersections Intersection or roadway lighting Flashing beacons at stop controlled intersections Sight line clearance Retro-reflective signs and shoulder striping Curve warning signs High friction surface treatments Centerline audible roadway delineators (CARDS) Shoulder audible roadway delineators (SHARDS) Safety edge Traffic calming	
What new safety features, not already mentioned, are proposed in the project to proactively reduce the risk of fatal or serious injury crashes? (Select all that apply) * None Signal timing and phasing adjustment Traffic signal back plates with retro reflective borders Intersection warning signs No turn on red signs (standard or electric) Parking restrictions at intersections Intersection or roadway lighting Flashing beacons at stop controlled intersections Sight line clearance Retro-reflective signs and shoulder striping Curve warning signs High friction surface treatments Centerline audible roadway delineators (CARDS) Shoulder audible roadway delineators (SHARDS) Safety edge Traffic calming	
What new safety features, not already mentioned, are proposed in the project to proactively reduce the risk of fatal or serious injury crashes? (Select all that apply) * None Signal timing and phasing adjustment Traffic signal back plates with retro reflective borders Intersection warning signs No turn on red signs (standard or electric) Parking restrictions at intersections Intersection or roadway lighting Flashing beacons at stop controlled intersections Sight line clearance Retro-reflective signs and shoulder striping Curve warning signs High friction surface treatments Centerline audible roadway delineators (CARDS) Shoulder audible roadway delineators (SHARDS) Safety edge Traffic calming	Word Lineity 0 / FO
reduce the risk of fatal or serious injury crashes? (Select all that apply) * None Signal timing and phasing adjustment Traffic signal back plates with retro reflective borders Intersection warning signs No turn on red signs (standard or electric) Parking restrictions at intersections Intersection or roadway lighting Flashing beacons at stop controlled intersections Sight line clearance Retro-reflective signs and shoulder striping Curve warning signs High friction surface treatments Centerline audible roadway delineators (CARDS) Safety edge Traffic calming	word Limit:0/50
reduce the risk of fatal or serious injury crashes? (Select all that apply) * None Signal timing and phasing adjustment Traffic signal back plates with retro reflective borders Intersection warning signs No turn on red signs (standard or electric) Parking restrictions at intersections Intersection or roadway lighting Flashing beacons at stop controlled intersections Sight line clearance Retro-reflective signs and shoulder striping Curve warning signs High friction surface treatments Centerline audible roadway delineators (CARDS) Safety edge Traffic calming	
□ None □ Signal timing and phasing adjustment □ Traffic signal back plates with retro reflective borders □ Intersection warning signs □ No turn on red signs (standard or electric) □ Parking restrictions at intersections □ Intersection or roadway lighting □ Flashing beacons at stop controlled intersections □ Sight line clearance □ Retro-reflective signs and shoulder striping □ Curve warning signs □ High friction surface treatments □ Centerline audible roadway delineators (CARDS) □ Shoulder audible roadway delineators (SHARDS) □ Safety edge □ Traffic calming	
□ Signal timing and phasing adjustment □ Traffic signal back plates with retro reflective borders □ Intersection warning signs □ No turn on red signs (standard or electric) □ Parking restrictions at intersections □ Intersection or roadway lighting □ Flashing beacons at stop controlled intersections □ Sight line clearance □ Retro-reflective signs and shoulder striping □ Curve warning signs □ High friction surface treatments □ Centerline audible roadway delineators (CARDS) □ Shoulder audible roadway delineators (SHARDS) □ Safety edge □ Traffic calming	
□ Traffic signal back plates with retro reflective borders □ Intersection warning signs □ No turn on red signs (standard or electric) □ Parking restrictions at intersections □ Intersection or roadway lighting □ Flashing beacons at stop controlled intersections □ Sight line clearance □ Retro-reflective signs and shoulder striping □ Curve warning signs □ High friction surface treatments □ Centerline audible roadway delineators (CARDS) □ Shoulder audible roadway delineators (SHARDS) □ Safety edge □ Traffic calming	
□ Intersection warning signs □ No turn on red signs (standard or electric) □ Parking restrictions at intersections □ Intersection or roadway lighting □ Flashing beacons at stop controlled intersections □ Sight line clearance □ Retro-reflective signs and shoulder striping □ Curve warning signs □ High friction surface treatments □ Centerline audible roadway delineators (CARDS) □ Shoulder audible roadway delineators (SHARDS) □ Safety edge □ Traffic calming	
□ No turn on red signs (standard or electric) □ Parking restrictions at intersections □ Intersection or roadway lighting □ Flashing beacons at stop controlled intersections □ Sight line clearance □ Retro-reflective signs and shoulder striping □ Curve warning signs □ High friction surface treatments □ Centerline audible roadway delineators (CARDS) □ Shoulder audible roadway delineators (SHARDS) □ Safety edge □ Traffic calming	
□ Parking restrictions at intersections □ Intersection or roadway lighting □ Flashing beacons at stop controlled intersections □ Sight line clearance □ Retro-reflective signs and shoulder striping □ Curve warning signs □ High friction surface treatments □ Centerline audible roadway delineators (CARDS) □ Shoulder audible roadway delineators (SHARDS) □ Safety edge □ Traffic calming	_
□ Intersection or roadway lighting □ Flashing beacons at stop controlled intersections □ Sight line clearance □ Retro-reflective signs and shoulder striping □ Curve warning signs □ High friction surface treatments □ Centerline audible roadway delineators (CARDS) □ Shoulder audible roadway delineators (SHARDS) □ Safety edge □ Traffic calming	
□ Flashing beacons at stop controlled intersections □ Sight line clearance □ Retro-reflective signs and shoulder striping □ Curve warning signs □ High friction surface treatments □ Centerline audible roadway delineators (CARDS) □ Shoulder audible roadway delineators (SHARDS) □ Safety edge □ Traffic calming	
□ Sight line clearance □ Retro-reflective signs and shoulder striping □ Curve warning signs □ High friction surface treatments □ Centerline audible roadway delineators (CARDS) □ Shoulder audible roadway delineators (SHARDS) □ Safety edge □ Traffic calming	
□ Retro-reflective signs and shoulder striping □ Curve warning signs □ High friction surface treatments □ Centerline audible roadway delineators (CARDS) □ Shoulder audible roadway delineators (SHARDS) □ Safety edge □ Traffic calming	
□ Curve warning signs □ High friction surface treatments □ Centerline audible roadway delineators (CARDS) □ Shoulder audible roadway delineators (SHARDS) □ Safety edge □ Traffic calming	
☐ High friction surface treatments ☐ Centerline audible roadway delineators (CARDS) ☐ Shoulder audible roadway delineators (SHARDS) ☐ Safety edge ☐ Traffic calming	
☐ Centerline audible roadway delineators (CARDS) ☐ Shoulder audible roadway delineators (SHARDS) ☐ Safety edge ☐ Traffic calming	
☐ Shoulder audible roadway delineators (SHARDS) ☐ Safety edge ☐ Traffic calming	
☐ Safety edge ☐ Traffic calming	
☐ Traffic calming	
- Opecu recupact signs	
□ Other	

Describe what other new safety features are proposed to be	e implemented with the project. *
Vord Limit:0/50	
What new advanced technologies to improve transportation mplemented with the project? (Select all that apply) *	system operations are proposed to
□None	
☐ Corridor signalization improvements	
☐ TMC operations	
☐ Traffic signal coordination	
☐ ITS/CCTV signage or infrastructure	
☐ Automated data collection	
Automated traffic enforcement	
☐ LED lighting	
☐ Automated Vehicles	
☐ Connected Vehicles	
☐ Real-time travel information communication	
☐ Self-organizing traffic lights	
☐ Dynamic speed limit signs	
□ Other	
Describe what other new advanced technologies are propos project. *	sed to be implemented with the
W. 11: 1:0/F0	
Nord Limit:0/50	
Are any innovative features, new to the region or state, prop project? *	osed to be implemented with the
_	
O /es	
0	
No	

Describe the new innovative features proposed to be implemented with the project. *		oject. *		
Word Limit:0/50				
Anything else CDTC should	know about the p	proposed projec	? *	
Word Limit:0/100				

Part D: Cost Estimate and Proposed Funding

Accurate cost estimates are an important part of the project evaluation process. To assist sponsors and to provide consistency in the development of project costs, CDTC staff has developed unit cost estimates for the following project types based on recent federal-aid construction experience:

- Pavement Reconstruction
- Pavement Preservation
- Sidewalks and Shared Use Trails
- Element Specific Bridge Repair
- Bridge Replacements

CDTC's unit costs should serve as a point of reference for the above project types to ensure the proposed project cost is in line with federal aid experience. CDTC staff will be using its unit costs to confirm sponsor costs, when available. If sponsor costs are substantially different than CDTC's unit costs, the sponsor will need to justify the difference. Details regarding CDTC's unit costs are available on the CDTC website at www.cdtcmpo.org/2022tip.

Estimated Project Cost

Provide all cost estimates in 2021 \$'s. Use commas and round numbers for each entry, no decimals. The

total project cost is automatically calculated and should match the total project cost in the funding proposal. All costs will be inflated by CDTC staff based on the year of project construction.

Construction Cost (\$) *
Inspection Cost/Contingency (\$) = 10% of Construction Cost *
Design Cost (\$) = 18% of Construction Cost *
Right-of-Way (ROW) Acquisition Cost, if applicable (\$)
ROW Incidentals, if applicable (\$) = \$20,000 minimum
ROW Incidentals is a phase normally required before the purchase of ROW (Acquisition). If you included ROW Acquisition ("R" in the TIP) as a cost above, you should include ROW Incidentals ("I" in the TIP), for a lesser amount.
Source of cost estimate: *

Funding Proposal

The maximum federal fund request is 80% of the Total Project Cost. The minimum local match requirement is 20% of the Total Project Cost. All sources of funding are to be noted below. Use commas and round numbers for each entry, no decimals.

Federal Funds Requested = 80% of Total Project Cost, maximum *

Required Local Match = 20% of Total Project Cost, minimum *
Additional Local Funds or Funds from Other Sources Beyond the Required Match
These funds would be in addition to the required Local Match.
_ist the source(s) of all local matching funds. *
e. State or local general funds, bonds, impact or mitigation fees, user fees, public/private partnerships, ntermunicipal financial partnering, etc. Word Limit: 0/100
Part E: Sponsor Priority and Project Timing
Sponsor Priority
ndicate the priority of the proposed project to the sponsor when multiple project applications are submitted. If only one project is proposed by a sponsor, enter 1
What is the priority of this project with respect to other projects proposed by the sponsor? 1 is nighest priority. *
Numbers only. A unique priority must be provided by sponsors with multiple project proposals.

Preferred Design and Construction Years

Note: The federal fiscal year begins on October 1st and ends on September 30th.

What year do your prefer to start preliminary design? Select one. (The preferred year to start

preliminary design is not guaranteed.) *
O 1st year (2022-2023) of 2022-2027 TIP
O 2nd year (2023-2024) of 2022-2027 TIP
O 3rd year (2024-2025) of 2022-2027 TIP
What is your preferred construction year? Select one. (The preferred year for construction is not
guaranteed.) *
O 1st year (2022-2023) of 2022-2027 TIP
O 2nd year (2023-2024) of 2022-2027 TIP
O 3rd year (2024-2025) of 2022-2027 TIP
O 4th year (2025-2026) of 2022-2027 TIP (for beyond preservation projects only)
O 5th year (2026-2027) of 2022-2027 TIP (for beyond preservation projects only)

Part F: Application Submission

Submit